

Telephone 404/832-4242 • Telex: 54-2799

102-

February 25, 1981

Environmental Protection Division Land Protection Branch 270 Washington Street, S.W. Atlanta, Georgia 30334

LAND PROTECTION BRANCH

Attn: Mr. Ed Cook

Dear Sir,

Enclosed is our Application for a Hazardous Waste Facility Permit from EPD and a copy of our Part A Application to EPA, which was previously submitted. Through oversight, we failed to include treatment of toxic floor sweepings in our original application. We have included treatment on our Georgia Application and would appreciate a response from you so that we may treat a growing quantity of waste we are storing. This treatment uses process equipment we have had since about 1970 and renders the waste non-hazardous and solid.

If any further information is needed, please contact me.

Sincerely,

SOUTHWIRE COMPANY

Joel R. Dicks

Environmental Engineer

JRD/mb

Enclosure

000001 NOT GA 003 2 5 4 4.21

Bepartment of Natural Lesources

ENVIRONMENTAL PROTECTION DIVISION LAND PROTECTION BRANCH 270 WASHINGTON STREET, S.W. ATLANTA, GEORGIA 30334 (404)656-2833



NAME DATE RECEIVED For EPD Use Only

APPLICATION

FOR

	דמכי	תואים	TIONS:	<i>(</i> - , , ,		HAZARDOUS WA	STE FAC	ILITY PERMIT	
					ck)				
3.5				r print.					
	[,	STA	TUS OF	OPERATION	X	Existing		New(Operation	projected to begin /
11	Ι.	TYP:	E OF OP	ERATION				99 - 1 98 9005096665094990005946600	mo day
		A.	Storag	e	X	Containers		Surface Impour	ndment
		В.	Treatm	ent		Tank		Incinerator	Surface Impoundment
98 ₀ 1		8.	. 1277			Reclamation Recycling	X	Other Physic	cal Solidification
	(3.	Disposa	al		Land Application		Landfill	8
						Surface Impoundment		Other	
III.	. D	ESC	RIPTION	OF WASTE	S TO	BE HANDLED (U	se EPA		e No. & Description)
		FOO	2 - sp	ent sol	vent,	, D008 - to	cic fl	oor sweeping	dust
IV.									
									map indicating location
	_	Bou	nded b	y Hwy 16	66 Ву	pass, Dixie	St, I	Fertilla St,	and Richards Lake
V.	5	Sou	thwire	Company				as Owner	
			's Name	e Street				or's Name	
	O,	mer	's Addr	ess	70000		Operato	or's Address	
				3	arro 0119	llton,GA		or o Address	
	74	+04-	832-4	659					
				phone #			Operato	or's Telephone	
VI.	CE.	ar	id that	based on	m, i	noncion. a£ 47		on this and al	ersonally examined and lattached documents, ately responsible for information is true,
	ΑU					(Name and Tit)	.Т	oel R. Dicks nvironmental	000000
								ox 1000, Carr	collton, GA 30119
		NAT	_	Jac	7	Det	DATE	26,6	PHONE # 832-4316
								1	GA 0032-4316

SEPA	NOTIFICA	TION OF HAZAR	DOUS WASTE		JASTRUCTIONS: If you received a preprinter
INSTALLA- TION'S EPA I.D. NO.		12 X			A label, affix it in the space at left. If any of the information on the label is incorrect, draw a line through it and supply the correct information
I. STALLATION	GĄ	D003264421			in the appropriate section below. If the label is complete and correct, leave Items I, II, and II below blank. If you did not receive a preprinted
INSTALLA- TION II. MAILING ADDRESS	SO	UTHWIRE COMPANY			label, complete all items. "Installation" means a single site where hazardous waste is generated treated, stored and/or disposed of, or a trans-
		O. BOX 1000 RTILLA STREET			porter's principal place of business. Please refer to the INSTRUCTIONS FOR FILING NOTIFI-
LOCATION ILL OF INSTAL-					CATION before completing this form. The information requested herein is required by law (Section 3010 of the Resource Conservation and
FOR OFFICIAL II		RROLLTON, GEORGI	A 30117		Recovery Act).
FOR OFFICIAL U	SE ONLY	400			
C C			OMMENTS		
	N'S EPA I.D. NU	MBER APPROVED	O DATE RECEIVE	EB y)	33
F 1 3 1. NAME OF INST	ALLATION	12 14 12 16	17	22	
$S \mid o \mid u \mid t \mid h \mid w \mid i$	re Co	ompany			
II. INSTALLATION	MAILING A	DDRESS		The Car	67
<u> </u>	 	STREET OR P.O. BOX			
3 P O B O X	1 1 - 1 4 1 4 1 9				
91111	1 1 1 1	Y OR TOWN		ST. ZIP	CODE
4 C a r r o 1	1 t o n			G A 3 0	1 1 7
III. LOCATION OF	INSTALLATI	ON		40 41 42 47	- 31
5 Ferti1	l a S t	reet	3		
	CITY	OR TOWN			CODE
6 C a r r o 1	1 t o n			G A 3 0	1 1 7
IV. INSTALLATIO		The Part of the Pa			- 31
2 Dicks,	Joel,	Environ	n m e n t a	1 Mgr	PHONE NO. (area code & no.) . 4 0 4 8 3 2 4 6 1 3
V. OWNERSHIP	5	and the second of	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21.20 - 100 1	13 46 - 48 49 - 51 52 - 55
8 Southw	ire C	A. NAME OF INSTAL	LATION'S LEGAL	OWNER	
B. TYPE OF OW (enter the appropriate		1111111111	DOUG WAGEE	CONTRACTOR (35
ter the appropriate	letter into box)	A. GENERA		parties.	er "X" in the appropriate box(es))
F = FEDERAL M = NON-FEDER	76	C. TREAT/S	TORE/DISPOSE	D. UA	NAME OF THE PROPERTY OF THE PR
II. MODE OF TRA	NSPORTATIO	N (transporters only -	enter "X" in the	appropriate bo	x(es)
A. AIR	V127	C. HIGHWAY	D. WATER	E. OTHER	specify):
III. FIRST OR SUE	riate box to indic	TIFICATION TIPICATION			the man that the state of the same
this is not your first n	otification, enter	ate whether this is your in your Installation's EPA I.	stallation's first not D. Number in the sp	ification of hazard pace provided belo	
A. FIRST NO	TIFICATION	X B. SUBSEQUEN	IT NOTIFICATION	(complete item C	G A D O O 3 2 6 4 4 2 1
X. DESCRIPTION O			352 - 1 433		AUTO CONTRACTOR OF MANAGEMENT AND CONTRACTOR
ease go to the reverse o	of this form and p	rovide the requested infor	mation.		A Company of the Comp

AND A

				W	1/4
IX. DESCRIPTION OF HAZAI	RDOUS WASTES (c	continued from fr	ont)	1 2	13 14
A. HAZARDOUS WASTES FROM waste from non-specific sources	NON-SPECIFIC SOLI	BCES Enter the fo	ur digit sumber from	40 CFR Part 261.31 f	or each listed hazardous
F 0 0 2 23 - 26 7 B. HAZARDOUS WASTES FROM S specific industrial sources your ins	PECIFIC SOURCES	3 13 - 26 9 14 - 26 Enter the four—digitational shorts if	23 - 26 10 23 - 26 it number from 40 CFR	5 11 23 - 26 Part 261.32 for each	12 12 12 listed hazardous waste from
13 23 - 26 19 21 - 26 25	14 20 23 23 25 26 26	15	16 23 - 26 22 23 - 26	17 23 - 26 23 23 - 26	23 - 26 24
C. COMMERCIAL CHEMICAL PROstance your installation handles wh	OUCT HAZARDOUS	WASTES Enter th	ional sneets if necessary		30 23 - 26 3 for each chemical sub-
23 - 26 23 - 26 23 - 26 23 - 26 23 - 27	- 26 38 - 26 44	39	23 - 26	23 - 26 41 23 - 24 47	23 - 26 42 23 - 26 48
D. LISTED INFECTIOUS WASTES. hospitals, medical and research laborates.	Enter the four—digit no pratories your installati	umber from 40 CFF ion handles. Use ad	R Part 261.34 for each ditional sheets if necess	isted hazardous waste ary.	from hospitals, veterinary
23 - 26 23	- 26 23	51	52	53	54
E. CHARACTERISTICS OF NON—LI hazardous wastes your installation h	STED HAZARDOUS Vandles. (See 40 CFR)	WASTES. Mark "X Parts 261.21 - 261.	" in the boxes correspo 24.)	nding to the character	istics of non-listed
D1. IGNITABLE	☐2. COR (D002)	ROSIVE	3. REACTIV		△ 4. TOXIC D000)
I. CERTIFICATION I certify under penalty of law a stached documents, and that be believe that the submitted infomitting false information, including	rmation is true aci	curate and come	uais immediately re	noncible for obtain	aime the information
Joel R Da	法	Joel R.	LTITLE (type or prin Dicks mental Engine		11/18/80

EPA Form 8700-12 (6-80) REVERSE


000004

I.D. - FOR OFFICIAL USE ONLY

NOT

\$ SEPA	VER	AL	INFOR	ECTION AGENCY MATION Program " before starting.)	F G A D 0 0 3 2 6	4	4 2	1 1
I. EPA I.D. NUMBER III. FACILITY NAME GADOO 326	442	1			If a preprinted label has lit in the designated space, ation carefully; if any of through it and enter the appropriate fill—in area be	Revie	provide the neore of day	ded, affine informect, cros
V FACILITY ADDRESS P. O. BO FERTILLA VI. LOCATION CARROLLT	X 10 STI	000 REE	г	30 1 1 7	the preprinted data is absoluted for the label space if that should appear), pleas proper fill—in area(s) belocomplete and correct, you litems I, III, V, and VI (must be completed regarditems if no label has been the instructions for details.	e pro ow. I need (excep dless).	vide f the not Con ided.	formation it in the label in complete B which applete at Refer to
II. POLLUTANT CHARACTERISTICS INSTRUCTIONS: Complete A through J to determine questions, you must submit this form and the supplement	wheth	er yo	ou need to	submit any permit application	tions and for the legal a which this data is collected.	uthori	zatio	ns: under
If the supplemental form is attached. If you answer "no is excluded from permit requirements; see Section C of the	" to e	uctio	question, y	ou need not submit any of these o, Section D of the instructions	forms. You may answer "no for definitions of bold-faced	" if y	OUT 8	ctivity
A. Is this facility a publicly owned treatment works which results in a discharge to waters of the U.S.? (FORM 2A)		х		B. Does or will this facility (a include a concentrated as	either existing or proposed) nimal feeding operation or a facility which results in a	~##	Х	ATTACHE
C. Is this a facility which currently results in discharges to waters of the U.S. other than those described in A or B above? (FORM 2C)	22	17	21	D. Is this a proposed facility in A or B above) which waters of the U.S.? (FORM	(other than those described will result in a discharge to 12D)	22	20 X 24	21
E. Does or will this facility treat, store, or dispose of hazardous wastes? (FORM 3) G. Do you or will you inject at this facility any produced	X 20	20	X 30	F. Do you or will you inject municipal affluent below taining, within one quan underground sources of dri	the lowermost stratum con-	31	X 32	33
water or other fluids which are brought to the surface in connection with conventional oil or natural gas production, inject fluids used for enhanced recovery of oil or natural gas, or inject fluids for storage of liquid hydrocarbons? (FORM 4)	34	X	34	process, solution mining of tion of fossil fuel, or reco (FORM 4)	ing of sulfur by the Frasch of minerals, in situ combus- very of geothermal energy?	27	X	16
I. Is this facility a proposed stationary source which is one of the 28 industrial categories listed in the instructions and which will potentially emit 100 tons per year of any air pollutant regulated under the Clean Air Act and may affect or be located in an attainment area? (FORM 5)	1000	X	42	per year of any air pollutar	stationary source which is trial categories listed in the I potentially emit 250 tons at regulated under the Clean be located in an attainment		х	-45
III. NAME OF FACILITY SKIP S O U T H W I R E C O M P A II 16 - 22 20 IV. FACILITY CONTACT			· · · ·			••	5	
A. NAME & TITLE (last, fire	1	T 7	111	N E E R 4 0 4	HONE (area code & no.)	÷.	Sig.	
A. STREET OR P.O. P () B () X 1 0 0 0		11					4.7	
B. CITY OR TOWN 4 CARROLLTON	- r-	· ·		C.STATE D. ZIP CODE			:.:	1 A.
A. STREET, ROUTE NO. OR OTHER S.	PECIF	10 11	DENTIFIE	R				
5 F E R T I L L A S T R E E T B. COUNTY NAME				10	0000	real		
CARROLL			• • • • • •	•	N		gen .	1
C. CITY OR TOWN C. CITY OR TOWN C. CITY OR TOWN				G A 3 0 1 1 7	F. COUNTY CODE	Tarde j	5	
PA Form 3510-1 (6-80)				19 1 41 42 1 47 91	GA 003234	UE O	N RE	VERS

(toyat, in order or priority)	
A. FIRST	B. SECOND
73,35,7 insulated, or armored Bare, 7	(specify)
C. THIRD	19
specify)	D. FOURTH
7	(specify)
VIII. OPERATOR INFORMATION	- 19
A. NAME	
	B. Is the name
8 S O U T H W I R E C O M P A N Y	Owner?
10 10 10 10 10 10 10 10 10 10 10 10 10 1	YES
C. STATUS OF OPERATOR (Enter the appropriate letter into the answer box: i)	if "Other" energy
S=STATE (specify)	D. PHONE (area code & no.)
TATALO	A 4 0 4 8 3 2 4 6 1
E. STREET OR P.O. BOX	19 16 - 10 10 - 21 22 -
PO BOX 1000	
F. CITY OR TOWN	G.STATE H. ZIP CODE IX INDIAN LAND
BCARROLLTON	IX. INDIAN LAND
	GA 3 0 1 17 Is the facility located on Indian lands?
V EVICTING SAME	41 42 47 - 11 52 YES & NO
X. EXISTING ENVIRONMENTAL PERMITS	
A. NPDES (Discharges to Surface Water) D. PSD (Air Emissions from Pro	oposed Sources)
9 N G A 0 0 0 1 1 3 9	TTTT
18.1.16.117 10	
S. UIC (Underground Injection of Fluids) E. OTHER (specify)	
9 U	(specify)
16 17 16 C. RCRA (Hazardous Wastes)	10
E. OTHER (specify	
9 R	(specify)
XI. MAP	100
Attach to this application a topographic map of the area extending to at least the outline of the facility, the location of each of its existing and proposed in the storage and in the storage of the storage of the storage and in the storage of th	one mile beyond property beyond in Ti
doubliefft, stolder, of disposal facilities and seek	intake and discharge structures, each of its hazardous
treatment, storage, or disposal facilities, and each well where it injects fluids water bodies in the map area. See instructions for precise requirements.	underground. Include all springs, rivers and other surface
XII. NATURE OF BUSINESS (provide a brief description)	
provide a brief description)	-1
O section of the sect	
Copper cathode and aluminum pig is melted and rolled are drawn into wire. Copper and aluminum wire may be	into copper rod and aluminum
are drawn into wire. Copper and aluminum wire may b insulated.	be insulated or stranded into achie
insulated.	and stranged into cable and
8	
	060006
III. CERTIFICATION (see instructions)	000000
certify under penalty of law that I have	
certify under penalty of law that I have personally examined and am familiar attachments and that, based on my inquiry of those persons immediately respectively. I believe that the information is true, accurate and complete, I am also information in individual to the information is true, accurate and complete. I am	with the information submitted in this application and all
	sponsible for obtaining the information contained in the
in difficulting the possibility of fine and imprisonment	aware that there are significant penalties for submitting
NAME & OFFICIAL TITLE (type or print)	
Frank Holladay .	C. DATE SIGNED
Senior Vice President	Holaran NOT
MMENTS FOR OFFICIAL USE ONLY	7430 0000
Mark the state of	
16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Form 3510-1 (6-80) REVERSE	





FO	}	ļ	3	EPA	HA er	ZF	JOU	S W	IAS olida	ted Per	ERI	MIT s Prog	GA gran	PPL	ICA	ev ATIOI RCRA.)	I. FPA 1 I	0 0 0 3	2 6	4	4	2 1
APP	LIC	AT	TIO	TAL USE ONLY				- 47								OMMENTS	4					
AP	PR	T	EC	(yr., mo., & day)				1000 10								OMMENTS				_	_	
11 5	ID	-	0	R REVISED APPL	ICATI	ON																
Place	an ed a	, (("	in the appropriate box ation. If this is your finber in Item I above.	in A o	B belo	ow (ma	rk o	ne be Iread	ox only y know	to you	indic ur fac	cate	wheth	ner i	this is the first ap .D. Number, or if	oplication you this is a revis	are submiti sed application	ing f	or yo	our you	facilit r facil
A. F				PPLICATION (place		ruction	s for d	efini	787 TH		2.000		-				2.NEW F	ACILITY C				
8 13	5	7	•	0 3 2 3 (use	EXIST RATIO the box	ING F. N BEG es to ti	ACILI AN OF te left)	TIES	E D	ATE CO	DNS.	TRU	CTI	(yr.,	mo.	, & day) Menced	78. MG	2	PRO (yr., TIO	MO.,	E T & d GA	ACIL HE D. ay) O N OR TO B
B. R	_			APPLICATION (F			elow a	nd c	omp	ete Itei	n I a	above	e)				2. FACIL	ITY HAS A	RCR	A PE	8M	IIT.
III.	PR	oc	ES	SSES – CODES AN	D DES	IGN (CAPA	CIT	IES		5. 14	. 13			H		77	Ditte in				
B. P	RO	ibe CE: MC	ss OU	CODE — Enter the co des. If more lines are e process (including its DESIGN CAPACITY NT — Enter the amoun DF MEASURE — For ea used. Only the units	needed s design — For e nt. each am	, enter capaci ach co	the cod ty) in de ente	de(s) the s ered in co	in topace	he spac provide lumn A n B(1),	e pro ed o	ovide on the ter th er the	ed. e for ne ca e co	If a pr rin (Ita apacity	oce emil of	iss will be used the interest of the process.	at is not incl	uded in the li	ist of	cod	es b	elow,
1					PRO-	APPI	ROPRI	ATE	UN	ITS OF			37.4				PRO					
			Р		CESS		ESIGN			OCESS	—				Р	ROCESS	CES: COD					OCES LTY
SUI	NT NK STI RF	AIP ACI	EI	R (barrel, drum, etc.) E MPOUNDMENT WELL	S01 . S02 . S03 . S04 .	CUBIC CUBIC GALL	ONS C	DR L DS (ERS)R L	ITEI DR ITEI	₹5			TAI	25355	E IN	- MPOUNDMENT OR	TO1	LITERS	PER IS PE PER IR H TON	DAY DAY OUR IS PE	AY OF ER I	OR R
LAI	ND ND	APN C	PL	ICATION POSAL MPOUNDMENT	D81 D82	Would depth HECT ACRE GALL LITER GALL	-FEET cover of one ARE-M S OR I ONS P	(the	voluacre v) OF ER TAR DAY	ime tha to a ES OR	it	1	ther proc surfa ator	mal or cesses ace im s. Dec	r bio not pou scrib prot	for physical, che ological treatmen occurring in tan undiments or inci- be the processes i vided: Item III-O JNIT OF	it ks, ner- in		SPE	RO	ΑY	W-12-11-1
UN	IT ()F	ME	ASURE	MEAS	JRE		LIMI	TΛ	F MEA:	SLID) E			M	EASURE CODE	UNIT OF I	MEVENDE				MEAS
GAI CUE CUE GAI	ER BIC BIC LLC	S Y MI	S. ETI S P	DS. ERS. ER DAY R COMPLETING ITE 400 gallons. The facil		hown i	<i>n line i</i>	LIT TO! ME' GAI LIT	ERS TRIC LLOI ERS	PER DER HOS	AY UR PEF HO OUF	R HC	OUR			V D W E H	HECTARE ACRES HECTARE	T		: : :	::	: : :
Ċ				DUP		1	//	7	/	1	7	/	/	1	<u>, </u>	1111	11,1	$\overline{1}$	/	/	/	7
1 2	. P	D (B. PROCESS	DESIG		PACIT	LA	7	1		1	7	7	7	B. PROC	ESS DESIG	SN CAPAC	ITY			
LINE	CE CO ron abo	SS DE i li ve)	st	1. AMO (speci	UNT (y)			OF N SU (en	ne ter te)	OFFI	OR CIA SE LY	1 4	NUMBER	COL COL (from about	SS DE list le)		. AMOUNT		OF S	UNI ME. URE inter	1	FC DFFI US ON
X-1 S	\neg	\top	2	600			27	0		26	П	23	5	16 -	1.0	19		21		24	2	
X-27	0) .	3	20				E	3				6								1	
1 s	0]	l	250				G					7						Γ		1	T
2 s	0	1	ı	65974				G					8					00	C		\$	T,
3													9					N	0	Canada Ca		1
4	Γ										1	ī	10					2 2	1.50		1	T
EPA F	orn		510)-3 (6-80)			27	Z	1	29 P	AGE	F 1	_	5	10	19		CO	NTI	UE	ON	RE /

	EP	A 1	ο.	NUN	ABER (enter from page 1)		1	1			r	OR OFF	CIAL USE	-Y
wg	A	D	0	o	3 2 6 4 4 2 1 7/4 6	$^{\prime}$		w W	,			DUP		DUP
IV.	DE				ON OF HAZARDOUS WAST	ES (c	onti	nuec	1)		- 17.	Mil.	1-11	13 (4 15 23 - 26
LINE	_	AS ente	TE	RD. NO ode)		OF SL	JNIT MEA- JRE Her de)				(en	iss con		D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	F		0		3	1	,) 1		- 29	27 - 2	9 27 - 2	
2	ln.	0	0	8	558	П		1	1	T	-1	177		
3	-	ľ			338	T		S) 1	-	-			
4	\dagger	T	T	ti		H	+			-	Т-			
5	†	-	H	\Box			+	-	1	-	-		+	
6	1		-	\exists		-	+		-1	-	-		-	
7		-	-	H		+	H		-	-				
8	-			\vdash		+	H	-1-	1		-		 	
9				\vdash		+	\mathbb{H}	-	-	-1-	-	-1-1		
10				\vdash		+	H	-	т-		-			
						_	$\left \cdot \right $	-	-	-i-	-			
11	-	-	-			-	Ш		-					
12	-	-	-	_		_	Ш		-					
13	4	_	4	Ļ		1			-					
14	+	1	1	_		\perp		·		137 1			-;-	
15	1	_		1				-					E 18	
16	1		1	_				1					1 1	
17								1		10-7		7-1		
18										1 1		7 7		
19						\top			T	77	T	T-1-		
20						$\dagger \dagger$		1		1 1	+			
21						77	1-	1-1		1-1		т т	1 1-	. 10.30
22	T		T	1		Ħ	+	1 1	+	1-1	+	r		
23						\parallel	+	1 1	+	11	+			
24	1	1	1			\Box	-	П		1 1	-			azanda
25	\dagger	-		\vdash		+	+	1	+	ТТ	+		+	000009
26	\perp						+	П	+	П	+		1	NOT
PA For		510)-3	(6-80	. 39	26	27	. ,	9 27	- 21	9 27	- 29 1	7 - 29	CONTINUE ON REVER


8-						
,						
EPA I.D. NO. (enter from page 1)						
G A D D O 3 2 6 4 4 2 1 T/1 c						
EACH ITY DRAWING		15 4 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		*		
FACILITY DRAWING Il existing facilities must include in the space provided on page	e 5 a scale drawir	ng of the facility (see instr		detail).	The state of the	
I. PHOTOGRAPHS		Was to the same			Shire how	
All existing facilities must include photographs (aerial or reatment and disposal areas; and sites of future storage						
II. FACILITY GEOGRAPHIC LOCATION		green than	LOW FRITT	452	A Charles	
LATITUDE (degrees, minutes, & seconds)		LONG	GITUDE (degrees	minutes,	& seconds)	
3 3 4 0 0 0			0 8 5 0	14 0	1 5	
III. FACILITY OWNER		ta aviante, cab	National Contraction	. 4.		
A. If the facility owner is also the facility operator as liste skip to Section IX below.	d in Section VIII	on Form 1, "General Inf	ormation", place	an "X" in	the box to the lef	t and
	die Certiee VIII	5 1	fallaulua itome			
B. If the facility owner is not the facility operator as liste						1.0
1. NAME OF FACILIT	Y'S LEGAL OWN	IER		2. PH	ONE NO. (area co	de & no.)
14				3 55 - 3	. 61 6:	11.
3. STREET OR P.O. BOX		4. CITY OR TOWN		ST	G. ZIP COD	E
	G					
COWNER CERTIFICATION	42 12 15	AND REPORTED IN COMMENTS	Maria Maria			
certify under penalty of law that I have personally exa	anvined and am	familiar with the infor	mation submit	tea in thi	s and a!l attache	?d
ocuments, and that based on my inquiry of those indi- abmitted information is true, accurate, and complete.	viduals immedia	tely responsible for or	btaining the info penalties for suf	ormation mittina f	, I believe that t	the n
cluding the possibility of fine and imprisonment.	i ain awaic (nai	there are significant p	charees ron so.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ma normation	
	SIGNATURE	-/ 100	`	C. LATE	SIGNED	
Frank Holladay Senior Vice President	Franks	Halland	au			
OPERATOR CERTIFICATION	Manya	777000	THE RESERVE OF THE PERSON OF T		X	
certify under penalty of law that I have personally exa	amined and am	familiar with the infor	mation submit	ted in this	s and all attache	ed
ocuments, and that based on my inquiry of those indi- abmitted information is true, accurate, and complete.	viduals immedia	itely responsible for or	btaining the inf	ormation	, I believe that t	the
cluding the possibility of fine and imprisonment.	ani avvaic that	there are significant p	charites for su.	mitting .	000011	Ö
NAME (print or type) B	. SIGNATURE			DATES	SIGNEY	
A Form 3510-3 (6-80)		105.5			CONTINUE	ON PAGE 5
	PAGE	4 0 5 5	SMAL RELEASE	n'#	* 5	
			福隆 图 表	ua oo	326442	1

E. USE THIS SPACE TO LIST ADDITIONA ROCESS CODES FROM ITEM D(1) ON PAC





Plastic Stabilizer Dust Storage



Stripper Solvent Storage

NOT

102

RECEIVED



Carrollton, Georgia 30117 - 404/832-6311

SOLID WASTE MANAGEMENT SECTION

NOV 6 1974

November 4, 1974

GA - XXGTS0 - 102 - 001

Georgia Department of Natural Resources Environmental Protection Division Solid Waste Management Section 535 Milam Avenue Atlanta, GA 30315

Attention Mr. Moses N. McCall, III

Dear Sir:

Solid Waste Handling Permit Application

Pursuant to the Georgia Solid Waste Management Act of 1973, we hereby apply for permits required to operate a solid waste collection and disposal system. Please find attached completed permit application forms submitted to us in your letter of October 7, 1974.

All solid waste (except garbage, scrap plastics and cardboard) generated in Southwire operations are disposed of internally by on-site landfill on Southwire property. Garbage from our eating areas and scrap plastics are hauled to the county landfill. Corrugated cardboard waste is hauled away and disposed of by Mr. Leroy McCormick, a private contractor.

A substantial portion of our solid waste load consists of wood (scrap pallets and reels) and "fluff" (a largely cellulosic material generated in recovery of scrap wire). Wood is currently stockpiled and will eventually be burned. "Fluff" is disposed of by landfill.

We feel that current methods of disposal of these two materials are unsatisfactory and wasteful and we are anxious to find alternatives which incorporate recycle techniques. Any contacts your office might provide which would lead to mutually beneficial recycle of these materials would be appreciated.

If additional information should be required we will be glad to supply it upon request.

Sincerely,

SOUTHWIRE COMPANY

⊮el R. Dicks

Environmental Engineer

JRD/jw

Attachment

000001 NOT

Solid Waste Management 5 ion 270 Washington Street, W. Atlanta, Georgia 30334

APPLICATION FOR SOLID WASTE HANDLING PERMIT

For a Solid Waste Collection Operation X For a Solid Waste Disposal Operation
For a Solid Waste Processing Operation
INSTRUCTIONS: Indicate type of permit requested by checkmark above. Complete in duplicate and forward to the above address. Upon receipt of this application, the Solid Waste Management Section will forward necessary forms for supplemental data needed for the evaluation of the collection, processing, or disposal operation.
Pursuant to requirements of the Solid Waste Management Act and the Rules and Regulations for Solid Waste Management of the Georgia Department of Natural Resources, the undersigned hereby applies for a Permit as indicated hereon.
Collection Operations Only:
Owner: Southwire Company
Address: Fertilla Street, Carrollton, GA 30117
Area to be served: Southwire buildings and operations
Disposal Site Location: Southwire property and county landfill
inCarrollCounty, Georgia
Processing Operations Only:
Owner:
Address:
Daily Waste Volume:
Processing Method:
Disposal Site Location:
in County, Georgi
Disposal Operations Only
Owner: Southwire Company
Address: Fertilla Street, Carrollton, GA 30117
Location: Southwire operations
in Carroll County, Georgi
Name APPLICANT'S SIGNATURE Leroy McCormick 000000
APPLICANT'S ADDRESS Box 805, Carrollton, GA 30117
DATE GA 003254421

DEPARTMENT OF NATURAL SOLID WASTE MANAGEMENT SECTION 270 Washington Street, S.W. Atlanta, Georgia 30334



COI		
SITE NAME_	.*	7
	For SWMS Use only	

SUPPLEMENTAL DATA FOR SOLID WASTE HANDLING PERMIT

	5	SOLID WASTE DISPOSAL OPERATION
	7	SOLID WASTE DISPOSAL OPERATION Two copies should be completed and returned to above address. Use additional sheets as necessary.
	Λ	lote: For all disposal sites complete pages 1 and 2 and return to above address.
		and approval of all data, a permit will be issued for the completed and returned for the period
		1. Site use: Santran L. Marie Co.
)- {{		3. Official responsible for site operations of the proposed
		Name_Shorty Window
		Title Construction Superintendent:
7		Agency
		Phone 832-6311 Address Fertilla Street
		Address Fertilla Street
	-	Carrollton, GA 30117 Carrollton, GA 30117
	5	acres acres acres de la fetimated population conved
1	6.	Site location:
-4	7.	Zoning: Is the site in a zoned area? X Yes No. 75
* (4)		Agricultural Recreational
	8.	Does property owner in Item 4 possess exclusive mineral rights and the second s
		If "no", give name and address of legal owner(s).
) a. :-	9. L	(If "yes", the Solid Waste Management Section must be contacted in order that the "Guidelines For The Management Of Hazardous Wastes" may be explained in detail before any of this data is committed.
רומע	10.	Soils and Water Table Determinations: A sufficient number of soil borings must be made to adequately portray the geohydrological characteristics of the entire site. Utilizing a plat of the property, show the location of each soil boring. Include a soil boring log which indicates the soil type(s), water table depth, and total depth of each boring. Borings are to soils should be classified according to Unified Soil Classification System or the U. S. Department of Agriculture Textural Classification System.
	11.	S. Coological Survey (1990)
		B. general town
		. major access routes introduced to the state of the stat
		of the disposal site all water courses and income.
		 all water courses and impoundments on and within one miles the boundaries of the disposal site, indicating flood plain for 50 year recurrence interval (state source of information) location of all airports within 2 miles of disposal alternal (state source of information)
**		. location of all airports within 2 miles of disposal site outline of all areas of limestone exposure or sinkholes within 1/2 mile of the site boundaries
	12.	Kinds and estimated quantities of waste to be accepted at site: (Use Table A on Page 2)
	13.	Person completing application:
*		Name_ Joel R. Dicks
		Title Environmental Engineer 932-6311
		Address Fertilla Street, Carrollton, GA 30117
	81	Signature Joe 7 D 2 +
	5-75	CIN_2
		21-
		GA 003 2 6 4 4 2 1

KINDS OF WASTE ACCEPTED

TABLE A

	1	Kind	Fi President		
Yes	No		Examples of Composition	Common Sources	Estimat Quantit
	Ŀ	Garbage	Wastes from preparation, cooking, and serving of food; market wastes; wastes from handling, storage, and sale of produce and meats.		
		Rubbish	Combustible: paper, cartons, boxes, barrels, wood, tree branches, stumps, yard trimmings, wood furniture, bedding, dunnage, etc.	Households, restaurants, institutions, stores, markets, etc.	2 tons
		Ashes	Noncombustible: metals, cans, metal furniture, dirt, glass, crockery, minerals, etc.	- 51	.5 tons
\perp			Residue from fires used for cooking or heating and from incinerators.		
	- 1972 - 197	Dead Animals	Cats, dogs, horses, cows, chickens, etc.	Streets, sidewalks, alleys, vacant lots, farms, stock-yards, meat packing plants, etc.	S)
+		Abandoned Vehicles	Unwanted cars, trucks, tractors, motorcycles, etc.	Streets, alleys, vacant lots, farms, etc.	
		Industrial Wastes	Food processing wastes, cinders, lumber scraps, metal scraps, shavings, slag, chemicals, textiles, other by-products, plastics, etc.		2 tons/c
	a C	Demolition and Construction Wastes	Lumber, pipes, brick, masonry, roofing, concrete, insulation, glass, metals, plaster, etc.		.5 tons/d
	_ ;	Hazardous Wastes**	Hazardous solids, semi-solids, and liquids, explosives, pathological wastes, pesticides, other toxic substances, flammable or corrosive substances, etc.	Households, hospitals, farms, institutions, stores, industry, etc.	
_	_		Sewage treatment residue: Solids from coarse screening and from grit chambers; septic tank sludge, etc.	Sewage treatment plants; septic tanks, etc.	2 2 - j
		astes	insulation picture tubes, fiberglass	Households, stores, industry, land clearing, etc.	6 tons/da

^{*} The estimated quantity is to be stated as weight per unit time, such as tons per day, tons per week, etc. If volume per unit time (e.g. cubic yards per day) is stated, state weight per unit time, also.

^{**} Handling of radioactive material is not permitted except in accordance with Rules of the Department of Human Resources, Chapter 270-5-20, entitled "Radioactive Materials". However, the Environmental Protection Division, Solid Waste Management Section is to be notified of the site (location) of each disposal operation.



COI						
SITE	NAME_					
	CONTRACTOR SPECIAL	For	SWMS	Use	Only	

SUPPLEMENTAL DATA FOR SOLID WASTE HANDLING PERMIT SOLID WASTE DISPOSAL OPERATION

0.0110000000000000000000000000000000000	pies should be completed and returned to above address. Use item 22 "Comments" and/or addi	***************************************
Moto.	Complete pages 3 and 1 CHLY after site has been deemed acceptable by SHMS.	cional sneets
14. UI	timate site use: X Undetermined Recreational area, park Agricultural	
	Light construction Residential Other	
15. Es	timated life of site: 5 years	
16. No	rmal operational schedule: Work days (circle) SMTW TVF(S)	
	Hours of Operation	(V)
17. Si	te open to public: X Yes No Fee charged: Yes X No	X 24 hrs/
18. Nur	mber, and classification of employees at ofte tout	, i
	1 Supervisory 1 Equipment operator Helpers Supervisory 1 Equipment operator Helpers	trative
19. Lis	t make, type and model of contract	*1 20 20 2028
*	t make, type and model of equipment used exclusively for solid waste disposal at this site:	
20. Wil	1 any on-site solid waste and loader	
or	1 any on-site solid waste processing be performed? (i.e., incineration, shredding, baling composting) X Yes No.	7, reclamation,
15	"yes", you are required to submit an application for permit for solid waste processing oper	140723 444
21. Des:	ign and operational information: (To be submitted as an attachment to this form)	ation.
mit a-	Maps chowing:	
	proposed fill areas and/or trenches for each lift (indicate sequence of filling operat	
	mumbering all trenches, fill areas and lifts)	
	2)	ions by
	2) on-site borrow areas and off-site borrow areas	ione by
	3) areas for wet weather operation	ions og
	2) on-site borrow areas and off-site borrow areas 3) areas for wet weather operation 4) areas for hazardous waste disposal	ions by
	3) areas for wet weather operation 4) areas for hazardous waste disposal 5) all-weather access roads	
	2) on-site borrow areas and off-site borrow areas 3) areas for wet weather operation 4) areas for hazardous waste disposal 5) all-weather access roads 6) grades for proper drainage of each Ufft (grades sky 15)	
	2) on-site borrow areas and off-site borrow areas 3) areas for wet weather operation 4) areas for hazardous waste disposal 5) all-weather access roads 6) grades for proper drainage of each Ufft (grades sky 15)	
	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptainage and less than 25% to minimize erosions) drainage structures and diversion disposal	
	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptainage and less than 25% to minimize erosions) drainage structures and diversion disposal	
	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptance) drainage and less than 25% to minimize erostoms areas for wet weather operation grades for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptance) drainage areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptance) areas for hazardous waste disposal all-weather access roads areas for hazardous waste disposal area	dequate
	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptational drainage and less than 25% to minimize erostous) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter aristing and gas (methane) control devices, if necessary	dequate
	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptational drainage and less than 25% to minimize erostous) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter aristing and gas (methane) control devices, if necessary	dequate
	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than l% to provide addrainage and less than 25% to minimize erostom) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-water of the disposal site.	dequate
1	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide addrainage and less than 25% to minimize erostom) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site constant of soil borrows (from item 10)	dequate ay, operation
1	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide addrainage and less than 25% to minimize erostom) drainage and less than 25% to minimize erostom; drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-water of the disposal site of the disposal site control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site control devices, if necessary employee facilities and other pertinent information which may affect the development or location of soil borings (from item 10, page 1)	dequate ay, operation
1	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide addrainage and less than 25% to minimize erostom) drainage and less than 25% to minimize erostom; drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-water of the disposal site of the disposal site control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site control devices, if necessary employee facilities and other pertinent information which may affect the development or location of soil borings (from item 10, page 1)	dequate ay, operation
nit 🛁	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide addrainage and less than 25% to minimize erostom) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-water employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be located a constant of the completed disposal site.	dequate ay, operation
it.	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide addrainage and less than 25% to minimize erostom) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be overall dimensions of maps should not created low to the site of the disposal should be overall dimensions of maps should not created low to the site of the site of the sompleted disposal site.	dequate ay, operation
1 nit 1 Note:	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide an drainage and less than 25% to minimize erostome) drainage and less than 25% to minimize erostome) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site olication of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be contained and maps must be properly identified using a title block. Discuss provisions for the following items:	dequate ay, operation
Note:	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide an drainage and less than 25% to minimize erostoms) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be contained and maps must be properly identified using a title block. Discuss provisions for the following items:	dequate ay, operation
Note: Omiti	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide addrainage and less than 25% to minimize erostom) drainage and less than 25% to minimize erostom) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-wa employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be locative order sections of the completed disposal site. Overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: controlled unlocating of meets spreading and compaction	dequate ay, operation
Note:	on-site Borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptainage and less than 25% to minimize erostous) drainage and less than 25% to minimize erostous) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-was employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be location of soil borings of the completed disposal site. Overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: controlled uploading of the control daily court.	dequate ay, operation
1 Note: Note:	on-site Borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptance) drainage and less than 25% to minimize erostomed drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-water employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be located disposal site. Overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Piscuss provisions for the following items: controlled unloading of the state of the completion distributions of the following items: controlled unloading of the state of the completion distributions of the following items: controlled unloading of the state of the completion distributions of the following items: controlled unloading of the state of the completion distributions of the following items:	dequate ay, operation
1 Note: Note:	on-site Borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide acceptance and less than 25% to minimize erostone) drainage and less than 25% to minimize erostone) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-water employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be controlled unless of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: spreading and compaction daily cover. intermediate cover Discuss intermediate cover Discuss final cover	dequate ay, operation
Note: Omit: 2	on-site borrow areas and off-site borrow areas areas for wet weither operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide addrainage and less than 25% to minimize eroston) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-we employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) cristing and final topography of the site (In general, the contour interval should be located orose sections of the completed disposal site. Overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: ontrolled unlocation daily cover interval sources intermediate cover limited access	dequate ay, operation
1 Note: Note: 0 mit 1 2 3 4 5 6 7	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide and drainage and less than 25% to minimize eroston) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) Existing and final topography of the site (In general, the contour interval should be overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: ontrolled unloading of maps intermediate cover interval facilities (powing tems) litter control facilities (powing tems) litter control facilities (powing tems)	dequate ay, r operation 2 jees1
1 Note: Note: 0 mit 1 2 2 3 4 5 6 6 7 8	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for het weather operation areas for het weather operation areas for proper drainage of each lift (grades should be greater than li to provide addrainage and less than 25% to minimize erostom drainage and less than 25% to minimize erostom drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-wa employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be coverall dimensions of maps should not exceed 30" x 48" nor be less than 24" x 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: spreading and compaction daily cover interval facilities (perimeter fencing and/or portable fencing) fire protection (stockniled soil in consider the protection that the protection that	dequate ay, r operation 2 jees1
1 Note: Note: 0 mit 1 2 2 3 4 5 6 6 7 8	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for het weather operation areas for het weather operation areas for proper drainage of each lift (grades should be greater than li to provide addrainage and less than 25% to minimize erostom drainage and less than 25% to minimize erostom drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-wa employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be coverall dimensions of maps should not exceed 30" x 48" nor be less than 24" x 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: spreading and compaction daily cover interval facilities (perimeter fencing and/or portable fencing) fire protection (stockniled soil in consider the protection that the protection that	dequate ay, r operation 2 jees1
Note: Note: 0 mit 1 2 2 3 4 5 6 6 7 8 8 9	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than l% to provide addrainage and less than 25% to minimize erostom) drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) catisting and final topography of the site (In general, the contour interval should be overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". Overall dimensions of maps must be properly identified using a title block. Discuss provisions for the following items: controlled unloading of weather. Discuss provisions for the following items: controlled unloading of weather. Discuss provisions for the following items: controlled unloading of weather. Discuss provisions for the following items: controlled unloading of weather. Discuss provisions for the following items: controlled unloading of weather. Intercontrol facilities (perimeter fencing and/or portable fencing) fire protection (stockpiled soil is considered to be the most satisfactory fire fighting maintenance and report of the maintenance and report of the property of the property of the property of the maintenance and report of the property of the property of the property of the maintenance and report of the property of the property of the most satisfactory fire fighting maintenance and report of the property of the property of the property of the most satisfactory fire fighting maintenance and report of the property of the pro	dequate ay, r operation 2 jees1
Note: Note: 0 mit 1 2 2 4 5 6 7 8	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than lx to provide an drainage and less than 25% to minimize erostom! of arinage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter existing and proposed utilities, easements and rights-of-we employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) casisting and final topography of the site (In general, the contour interval should be located access eactions of the completed disposal site. Overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: operating and compaction daily cover intermediate cover Discuss as monthly cover. Intermediate cover Discuss (perimeter fencing and/or portable fencing) fire protection (stockpiled soil is considered to be the most satisfactory fire fighting maintangers and rapair of equipment quantity size and type of backup contents.	dequate ny, r operation 2 jeest
Note:	on-site borch areas and off-site borrow areas areas for wet weather operation areas for heavardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than 1% to provide according and less than 25% to minimize erostore! drainage and less than 25% to minimize erostore! drainage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter, existing and proposed utilities, easements and rights-of-wa of the disposal site location of soil borings (from item 10, page 1) existing and final topography of the site (In general, the contour interval should be location of soil borings of the completed disposal site. Overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: controlled unblocking of sections and intermediate cover limits (perimeter fencing and/or portable fencing) final cover limited access litter control facilities (perimeter fencing and/or portable fencing) fire protection (stockpiled soil is considered to be the most satisfactory fire fighting to be accessed to the same and type of backup equipment to be used at the cite (indicate algored time backup equipment to be used at the cite (indicate algored time backup equipment to be used at the cite (indicate algored time backup equipment to be used at the cite (indicate algored time backup equipment and be made any labely and to the page of backup equipment to be used at the cite (indicate algored time backup equipment to be used at the cite (indicate algored time backup equipment to be used at the cite (indicate algored time backup equipment and be apple of the control backup equipment to be used at the cite (indicate algored time backup equipment and be apple of the control backup equipment and be apple of the control backup equipment and be apple of the control backup equipment a	dequate ay, r operation 2 jees1
Note:	on-site borrow areas and off-site borrow areas areas for wet weather operation areas for hazardous waste disposal all-weather access roads grades for proper drainage of each lift (grades should be greater than lx to provide an drainage and less than 25% to minimize erostom! of arinage structures and diversion ditches water pollution control facilities and gas (methane) control devices, if necessary fencing, equipment shelter existing and proposed utilities, easements and rights-of-we employee facilities and other pertinent information which may affect the development or of the disposal site location of soil borings (from item 10, page 1) casisting and final topography of the site (In general, the contour interval should be located access eactions of the completed disposal site. Overall dimensions of maps should not exceed 30" X 48" nor be less than 24" X 36". All drawings and maps must be properly identified using a title block. Discuss provisions for the following items: operating and compaction daily cover intermediate cover Discuss as monthly cover. Intermediate cover Discuss (perimeter fencing and/or portable fencing) fire protection (stockpiled soil is considered to be the most satisfactory fire fighting maintangers and rapair of equipment quantity size and type of backup contents.	dequate ay, r operation 2 jees1

GA 003 26 4 4 21

d. Discuss provision : the following optional items:

If an item does not apply, so state.

Section house dumping (a trailer or container commendantly located at the main entrance to the cite of generally sufficient)

2) site of generally sufficient.

2) generally sufficient.

3) generally sufficient.

Omit 5) sector

6) on-site first aid

7) leachers callection and treatment years

9) employee facilities (toilets and drinking water)

10) operational records (daily logs)

22. Comments:

Discuss plans for reacting noted from that opastics and survey of Hose materials

23. Person completing application:	<i>9</i> .
Name_Joel R. Dicks	Phone 832 - 631,1
Title Environmental Engineer	Phone 832-6311 Date 9/30/75
Address Fertilla Street, Carrollton, GA 30117	- Date 1/30/13
Signature Joel RDict	066336

Landfill operation consists of three primary areas:

Area I General industrial trash including but not limited to cardboard boxes, computer paper and cards, construction waste, floor sweepings, plastic, light bulbs and other glass, office trash and drawing paper, a very small amount of metals and other miscellaneous materials. Large metal pieces including scrap pipe, strapping, shavings, machine parts are segregated and recovered.

Area II - Copper "fluff" pile. Fluff is the (cellulosic and synthetic filler in wire and cable plus metal and plastic bits) by-product resulting from reclamation of wire. Area II contains only fluff generated in recovery of copper from wire.

Area III - Aluminum "fluff" is by-product generated in recovery of aluminum. The two by-products are similar but the copper fluff is predominantly cellulose whereas the aluminum fluff is predominantly plastic. The two types of fluff are separated because ultimate recovery of the metal in these materials is anticipated. In fact, a current project is underway to test the feasibility of copper recovery.

Scrap wood consisting of pallets, reels and dunnage is stored in another area of the plant but we do not consider this a landfill operation.

The landfill is operated on a twenty-four hour/day, six days/week basis with full time supervision between the hours of 8 a.m. and 4 p.m. A log is kept listing materials delivered to fill. This area is completely fenced-in and has limited access with only one road in and out.

The waste deposited at this site is spread and compacted (by running over it with a caterpillar D-955 front end loader) as required to maintain a neat fill area. Procedure required Area I to be covered with soil at least twice per week.

Because of anticipated recovery and lack of need Areas II and III are not routinely covered. Littering or dust control is not a problem with these areas.

A final cover of one foot of top soil will be applied to fill areas and vegetation added.

ion

GAD 000 814 541

SUPPLEMENTAL DATA REVIEW - SOLID WASTE DISPOSAL OPERATION

			1000						1550 (1505)	
	A		ı.	SITE ACCEPTABILITY INFORMATION				8) Mater rollesion Control	=
	R* 2		1.	Site Use					Control Devices	
	R 2	4 []	2.	Operational Status	R			-9 ;	Forcing, Equipment Shelter,	
	R [3.	Official Responsible for Site Operation	1				Easements and Rights of Way	es
	R 🗵		4.	Property Owner					Bupleyee Feeilities; etc.	
	R 2		5.	Area of Site	R Base			10)	Location of Soil Bowings	
			6	Bothwared ropulation	· R			-11)	Evicting and Final Topograph	ıy
	\triangleright		7.	Zoning	R			-br-Dos	elled Cross Sections	
	R 🔽	\Box	8.	Mineral Rights	R .			c. 1)	Controlled Unloading of Hast	
	R 2			Hazardous Wastes	, R ⊠			2)	Spreading and Compaction	
	R			Coile and Hotor Table Determinations	≻ R ⊠			3)	Besty cover 3 Marth	4
\rightarrow	r Z		11.	U.S. Geological Survey (USGS) Map or	R			4)	Internatione Cover & Cave	1
	E	. —		Equivalent	- R 🔀			5)	Final Cover	
	ĮΣ			Kinds & Estimated Quantities of Waste	R M			6)	Limited Access	
	R LX	J Ц з	3.	Person Completing Application				7)	Litter Control Facilities	
	\boxtimes			On-Site Investigation (Trip Report Arch)				8)	Fire Protection	
x				See Pogs 1)				97	Maintenace and Renair of Bo	w
	_		ı.	DESIGN AND OPERATIONAL INFORMATION	R			10)	Quantity, Size and Type of	
	×		4.	Ultimate Site Use		_			Backup Equipment	
	\boxtimes	= -	5.	Estimated Life of Site				717	Directional and Informations	1
1	R 🗵	<u></u> Ц 1	6.	Normal Operational Schedule				12)	Special Provisions for Immed	ė
		=	7.	Site Open to Public					Disposal of Lurge Doad Animal or Highly Purrescrible Wastes	<u>:</u>
				Number and Classification of Employees				d. 1)	After Mours Dumpins	
I			9. 1	Make, Type and Model of Equipment				2)	Site Communications	
		2	0. (On-Site Processing				3)	Cas Control Dowland	
F		2	1. 4	Trenches for Each Life	$\rightarrow \square$			4)	Dust Control	
				2)				5}_	- Seeder	
	_			Borrow Areas		X		6)	On-Site First Aid	
				3) Areas for Hot Hoother Operation				7)	Doschato Collection and Treat	
В				4) Areas for Heserious Waste Dispos	-1			44.7847	ment System	
R				5) All Weather Access Roads				<u>۔ دھ</u>	Leachase Mealtering Cyctom	
R				6) Crades for Proper Brainage of Fo					Employee Facilities	
D					\$ 000 000 000 000 000 000 000 000 000 0	1.040(E)() 1929			Operational Records 0000008	
•		_		7) Broining Structures and Diversion Disches			22.	Comments	A I CO	
					R 🖾	2	23.	Person C	completing Application	

^{*}R - Denotes information required for approval of the operation
*A - Denotes acceptable parameter



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

BEC 1 2 1980

345 COURTLAND STREET ATLANTA, GEORGIA 30365

REF: 4E-WE

CERTIFIED MAIL RETURN RECEIPT REQUESTED CAD 003264421 Mery Actue File

Roy Richards
President
Southwire Company
Box 1000
Carrollton, Georgia 30117

Re: Section 3007, Resource Conservation and Recovery Act (RCRA). Request for Information.

Dear Mr. Richards:

Your organization has been identified by the Environmental Protection Agency as one which probably handles hazardous wastes. The generation, transportation, treatment, storage and disposal of such wastes are regulated by the Resource Conservation and Recovery Act of 1976 (RCRA), 42 U.S.C. \$6901 et seq., as amended by the Solid Waste Disposal Act Amendments of 1980. Under authority of the Act, on May 19 and at various times thereafter, the U.S. Environmental Protection Agency published in the Federal Register regulations listing certain waste as hazardous and specifying characteristics to be used in determining whether nonlisted wastes are hazardous (45 F.R. 33066). Under Section 3010 of the Act, handlers of hazardous wastes identified in the May 19, 1980 regulations were required to notify EPA by August 18, 1980. Handlers of waste identified in later publications had until 90 days after each publication within which to

In May, informational packets containing notification material were sent to over 400,000 organizations thought to be handlers of hazardous wastes. However, failure to receive such a packet did not relieve a hazardous waste handler of its legal obligation to notify EPA of its activities. If you are indeed a handler of hazardous waste identified in the May 19 regulations, your notification was due on August 18.

In order that we may determine whether your failure to notify was proper, it is requested, pursuant to Section 3007 of the Act, that you complete the attached questionnaire and return it within ten (10) days to the address indicated.

000001 COR



December 17, 1980

Environmental Protection Agency Compliance Section, Enforcement Division 345 Courtland Street Atlanta, Georgia 30365

Attention: Mr. Howard D. Zeller

RE: Section 3007, Resource Conservation and Recovery Act

(RCRA). Request for Information.

Dear Mr. Zeller:

Please be advised that Southwire Company did notify EPA pursuant to RCRA regulations, regarding hazardous waste activities, prior to the August 18, 1980 deadline and subsequently filed a Part A Hazardous Waste Permit application.

Best regards,

Joel R. Dicks

Environmental Engineer

JRD/jms

cc: Rod Kutz

Return to:

Environmental Protection Agency Compliance Section, Enforcement Division 345 Courtland Street Atlanta, Georgia 30365

Section 3007 RCRA Questionnaire

٠.	No. GAD 003264421 and disregard items 2 through 6.
2.	Do you generate, transport, treat, store or dispose or any hazardous waste identified in 40 CFR Part 261, Subparts A, B, C, and D (45 FR 33119)?
	Yes; No; Don't Know
	Please send a Notification Form 8700-12.
3.	Describe the nature of your business.
4.	What waste products do you handle?
5.	What quantity of each waste do you handle?
	lbs/monthlbs/year
	or kg/month kg/year
6.	What do you do with these wastes?

(404) 832-4613 000303

COR



JOE D. TANNER
Commissioner

Department of Natural Resources

ENVIRONMENTAL PROTECTION DIVISION
270 WASHINGTON STREET, S.W.
ATLANTA, GEORGIA 30334

J. LEONARD LEDBETTER
Division Director

Division Director

May 24, 1982

Mr. R. L. Osborne
Manager, Quality Control and
Environmental Affairs
Southwire Company, Copper Div.
Carrollton, GA 30117

Dear Mr. Osborne:

Southwire, Copper Division was given approval on May 5, 1981 to continue existing hazardous waste storage and treatment operations during the permit review process contingent upon:

- Compliance with Chapter 391-3-11-.10 of the Georgia Rules for Hazardous Waste Management - "Standards Applicable to the Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities", and
- The continued operation of these facilities not presenting an undue present or potential threat to the environment or health of humans.

Under Section 11, "Variances", of Georgia's Hazardous Waste Management Act, such approval can not be granted for a period of time greater than one (1) year unless circumstances can be shown which preclude full compliance within that one-year period. In the case with Southwire, Copper Division, such circumstance exists in that the permit process has not been completed. Contingent upon compliance with the two conditions outlined above, the Division is hereby granting renewed approval to continue the existing hazardous waste storage and treatment operation until May 5, 1983. Section 11 further stipulates that "under no conditions shall an original variance, plus renewals, ever exceed a total period of two (2) years". If at the end of the two (2) year period the permit process has not been completed, the Division anticipates that it would become necessary for Southwire, Copper Division and EPD to enter into a consent agreement establishing time tables for permit issuance and operating conditions until such time as the permit process is completed.

During and after this interim period, this facility is subject to inspection for compliance with Section 391-3-11-.10 as well as other applicable provisions of the Georgia Rules for Hazardous Waste Management. Please be aware that this letter in no way permits disposal of hazardous waste in an unpermitted hazardous waste handling facility.



Mr. R. L. Osborne Southwire, Copper Division May 24, 1982 Page Two

Should you have questions, please contact the Division at 404/656-2833. Your cooperation in protecting the environment of Georgia is appreciated.

Sincerely,

J. Leonard Ledbetter

Director

JLL:eck

cc: James Scarbrough





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

JAN 2 9 1990 4WD-RCRA

345 COURTLAND STREET, N.E. ATLANTA, GEORGIA 30365

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. Joel R. Dicks Southwire Company P.O. Box 1000 Carrollton, Georgia 30117

Re: Notice of Invalid Certification/Demonstration Submitted Pursuant to 40 CFR 268.8 - Correspondence dated 30 November 1989. EPA I.D. No. GAD 003 264 421

Dear Mr. Dicks:

After reviewing the documentation submitted by Southwire Company, pursuant to 40 CFR 268.8 for the twelve (12) "soft hammer" waste codes circled on Enclosure A, the Director of the Waste Management Division has decided to invalidate the certification.

In the event that the decision is to invalidate the Certification/Demonstration, the disposal of the "soft hammer" wastes in a surface impoundment or landfill must cease. 40 CFR 268.8 (b)(2) states:

If, after review of the certification, it is determined that practically available treatment exists where the generator has certified otherwise, or that there exists some other method of practically available treatment yielding greater environmental benefit than that which the generator has certified, the EPA may invalidate the certification.

Southwire Company has failed to submit the information required by 40 CFR 268.8 that is essential to the determination of the validity of the certification. Specifically, the Certification/Demonstration was deemed deficient for the following reasons:

1. The method of disposal/treatment does not provide treatment that is an applicable and appropriate technology for all materials in the lab pack waste streams. The combining of dissimilar materials with in a lab pack (i.e. organics packed with inorganic materials) is not an advisable material handling practice. Inorganic constituents frequently do not

derive any benefit from treatment associated with destructive technologies (i.e. incineration). Conversely, organic constituents frequently do not derive any benefit from treatment associated with encapsulation or stabilization technology. Therefore, it is acceptable practice to segregate materials based on treatability groups, such as incineration, stabilization, recycling and recovery.

Sufficient information must be supplied to support your demonstration that a treatment technology should be dismissed from further consideration. The generator must justify that the best treatment that is practically available has been chosen. In making the demonstration, the generator must consider all available practical technologies when proposing to the Agency that the certification is a valid and responsible analysis of the technologies available.

Southwire Company has the right to resubmit a certification and demonstration pursuant to 40 CFR 268.8, which addresses the deficiencies noted above. Effective on the date of the receipt of this letter, the "soft hammer" wastes that are subject to 40 CFR 268.8 are prohibited from shipping, manifesting, disposal in a surface impoundment or landfill until such resubmitted Certification/Demonstration is received by the Director of the Waste Management Division. Southwire Company must notify those facilities that have received "soft hammer" wastes from Southwire Company that the Certification/Demonstration previously submitted has been invalidated.

Enclosed is a copy of 40 CFR 268.8, entitled "Landfill and Surface Impoundment Disposal Restriction," which includes the correct wording for the certifications for "soft hammer" wastes. Section 268.8 is part of the Final Rule: "Land Disposal Restrictions for First Third Scheduled Wastes," which was published in the Federal Register, Vol. 53, No. 159, August 17, 1988, 31138-31222.

If you have any questions, please contact Mr. David Langston of my staff at (404)347-7603.

Sincerely yours,

Patrick M. Tobin, Director Waste Management Division

Enclosure

cc: John D. Taylor, Georgia Environmental Protection Division Jennifer Kaduck, Georgia Environmental Protection Division

bcc: David Langston GACTIT

SOFT HAMMER WASTES First and Second Thirds

	F-LISTED WASTES													
	F 006	ww	P 019											
	K-LIS	TED W	ASTES											
	K004		K 008		K011	ww	K013	ww	K014 w	w	K017		K021	ww
	K 022	w w	K025 w	w	K029	ww	K031		K 035		K041		K042	
	K046	ww	K060 w	w	K061	ww	K069	₩	K073		K 083	ww	K 086	**
	K 095	ww K096 ww		w	K097		K098		K105		K106			
	P-LIS	TED WA	ASTES											
	P001	P002	2 PC	003	P004	P00	5 P(007	P008	P010) P	011 /	P012)
	P014	P015	PC	16	P018	P020) P(026	P027	P036	5 .P	037	P048	
	P049	P050	PC	54	P057	P058	3 P(059	P060	P066	S P	067	P068	
	P069	P070 P0		72	P081	P082	2 P084		P087	P092		102	P105	
	P107	P108	B Pl	10	P112	P113	3 P	114	P115	P120) P	122	P123	
	U-LIS	TED WA	STES											
	0002	0003	U005	U007	8000	0009	U010	U 011	0012	0014	0015	U016	U018	
(0019	U020	U021	U022	U023	U025	U026	U029	0031	0032	0 035	0036	U 037	
	U041	U043	(0044)U046	U047	U049	U050	0051	0053	U057	U059	0060	U061	
	U062	0063	U064	0066	U067	U070	0073	U074	0077	U078	U080	U08 3	U086	
	U089	U092	π093	U094	U095	U097	0098	0099	U101	0103	U105	U106	U108	
	U109	U110	U111	U114	U115	U116	U119	0122	0124	U127	U128	U129	U130	
	U131	U133	U134	U135	U137	U138	U140	U142	U143	U144	U146	U147	U14 9	
	U150	U151	U154	U155	U157	U158	U159	161	0162	U163	U164	U165	U168	
(U169	U170	U171	U172	U173	U174	U176	U177	U178	U179	U180	U185	Ø188	
	U189	U192	U193	(0196)	U200	U203	U205	U206	U208	U209	U210	1211	0213	
	U214	U215	U216	U217	U218	(U219	(U220)	U226	U227	U228	U237	U238	U239	
	U244	U249												

^{**} K086, except for solvent washes and sludges

Author: Daryl Himes at REGION4 Date: 05/14/97 10:10 AM

Priority: Normal TO: Miriam Pressley Subject: Southwire

Message Contents -----

The aereal photography information in the Southwire file is now releaseable.

Gt 003 264 421

Georgia Department of Natural Resources

205 Butler Street, S.E., Suite 1154, Atlanta, Georgia 30334

Joe D. Tanner, Commissioner
Environmental Protection Division
Harold F. Reheis, Director
404/656-7802

December 14, 1994

Mr. Alan Farmer RCRA Branch Chief Region IV U.S. Environmental Protection Agency 345 Courtland Street Atlanta, Georgia 30365

CONFIDENTIALITY CLAIM WITHDRAWN

ENFORCEMENT CONFIDENTIAL

Dear Mr. Farmer:

The Georgia Environmental Protection Division, Hazardous Waste Management Branch, is in the process of investigating at least four possible RCRA land disposal violations in certain areas in Carroll County, Georgia where hazardous waste from Southwire Company has been disposed. We would appreciate your assistance in obtaining historical aerial photographs and expert photographic interpretation and analysis from the Environmental Photographic Interpretation Center (EPIC), which would help us in our investigation. Since this is a time sensitive enforcement issue, we need to gather whatever historical aerial photographic evidence may be available as soon as possible. It would be appreciated if you could expedite obtaining and providing the analysis of the available pertinent photos. We are willing to pay for costs incurred in obtaining this information.

Please contact Ms. Mary Lou Winn of my staff at (404) 656-7802 if you need further information. Thank you very much for your help and consideration.

Sincerely,

Jennifer R. Kaduck

Branch Chief

Hazardous Waste Management Branch

unipe Kladerch

JRK:mlw

R:\marylou\misc\fot.req

CONFIDENTIALITY CLAIM WITHDRAY H

FAX TRANSMITTAL

To: Sherman Bruce phone: 435-2241

Hoffman & Co., Inc.

From: Amy Williams

U.S. EPA

Fax: 435-3017 Phone: 347-3555 ext. 6394

I am trying to obtain aerial photographs from 1980 for four sites in Carroll County, Georgia. Attached are topographic maps of the four sites. The coordinates for these four areas and other location specific information are listed below. Please call me after reviewing this information to let me know what is available from your office.

Site Name: Stripling Chapel Road Site

Geographic Coordinates: Lat: 33° 32′ 30" Long: 85° 1′ 50"

County: Georgia

USGS Quad Name: Carrollton (7½ min)

Site Name: Memory Gardens

Geographic Coordinates: Lat: 33° 32′ 30" Long: 85° 03′ 45"

County: Carroll

USGS Quad Name: Carrollton $(7\frac{1}{2} \text{ min})$

Site Name: Oak Mountain Academy

Geographic Coordinates: Lat: 33° 33' Long: 85° 1' 50"

State: Georgia County: Carroll


USGS Quad Name: Carrollton

Site Name: Snake Creek

Coordinates: Lat: 33° 31′ 30" ► 32′ 30" Long: 84° 56′ ► 84° 58′ State: Georgia

State: Georgia County: Carroll

USGS Quad Name: Hulett, Georgia $(7\frac{1}{2} \text{ min})$



Georgia Department of Natural Resources

205 Butler Street, S.E., Suite 1154, Atlanta, Georgia 30334

Joe D. Tanner, Commissioner
Environmental Protection Division
Harold F. Reheis, Director
404/656-7802

December 14, 1994

M E M O R A N D U M

TO:

Region IV, EPA Project Coordinator

FROM:

Mary Lou Winn, Georgia EPD, Hazardous Waste Management Branch

SUBJECT: Purpose of EPIC Aerial Services Request, and photos already obtained

Georgia EPD has reason to believe that slag generated from a copper recovery and smelting facility has been dumped at 4 sites in Carroll County, Georgia. We would like to receive some assistance from the Environmental Photographic Interpretation Center in determining whether the subject dumping occurred after December 1980 in violation of RCRA statutes. The ultimate use of these photos and analyses would be to be used as evidence in court.

The four sites are:

- MEMORY GARDENS. It is believed that slag as well as wood chips were dumped at this property just south of a high school.
- OAK MOUNTAIN ACADEMY. It has been admitted that slag had been dumped at the school to be used as fill and to prevent erosion. It has been denied that dumping occurred after 1980. Soil analysis indicates high levels of lead in the soil. Photos seem to indicate dark areas in 1981, 1987 and 1993, particularly near the tennis courts, which may indicate the presence of slag used as fill.
- STRIPLING CHAPEL RD. Slag dumping has been reported in vacant property across the street from Oak Mountain Academy. Photos show a progression of land use from agriculture to cleared to disturbed and eroded land used for dumping. A dark spot in a previously light area may be indicative of slag dumped after 1980.
- SNAKE CREEK. A complaint has been received that slag has been dumped on creek banks to check erosion. This area is slated to become a drinking water reservoir.


The locations of these sites are indicated on the attached topographical


quadrangles.

EPD has obtained aerial photographs from 1975, 1978, 1981, 1987 and 1993 and has had them blown up to 1"=400'. In an effort to hasten a productive photo document search, these photos are available for viewing. Additionally the source of these photos is available if desired.

Please call me at (404) 656-7802 if you have any questions.

MLW






Snake C County Tox Dist (so type 160 / LOT 11 17 6 DOT NAPP 658 Morkhand NAPP	Courtin Tax Maps 11 1 1-400 75 Courtin Tax Maps 11 1"-400 75 DOT flt 18 1"=500 95 DOT HAP 331 #91 1"-4650 81 DOT NAPP 6583-51 1"=3333 93 Markherd Mith P 1"=3333 88	12-1 12-2 12-2 12-2 12-2
Creek 5.04. 1/2 1/2 1/2 1/2 1/2 1/2 1/2 3233 PAPP 1/2 3233	Oak Min academy Cou. Ty Tayman #10 19.44 20	ordered ha
789 74 72 74 789	County Tax map = 10 1"-400 78 DOT FIF 21 1"=500 75 DOT HAP 321 +9! 1"=4800 81 DOT NAPP 6583-51 1=3333 93	12-1 12-2 12-2 12-2 12-2
ondered 12-1 12-2 13-3	Markhenci NAPP 1"=3333 88	oK
have r	Chapel Rd (outly Tasting: 110 12400 87 Louvely las Mak 12400 87 DOT FHRI 12400 75 DOT HAP 331 #91 12460 61 DOT NAPP 6583-61 12333 95 Markheid NAPP 12333 88	ordered has 12-1 12-2 12-2 12-2 12-2
Original photos from Carroll Co. are available Through Park 1 (502) 969-2991 (Gary Ericleson)		

STANDARD SITE ANALYSES PACKAGE RCRA AND CERCLA

ENVIRONMENTAL MONITORING SYSTEMS LABORATORY - LAS VEGAS

The following elements are included as standard analysis of chemical and landfill facilities:

- Five sets of deliverables will be produced, with three sets being delivered to the regional offices. RCRA Enforcement will have two sets shipped to the regional offices and one set to EPA Headquarters Enforcement Division.
- Site size plus Latitude and Longitude for center of site. 2.
- General condition of site. 3.
- Tanks and Drums
 - a. condition of tanks and drums (rusty, leaky, etc.)
 - stains around tanks and drums (stains on ground, buildings, b.
 - housekeeping practices around tanks and drum (poor appearance or maintenance of tanks and drum storage areas)
- Standing liquids from spills, drainage, etc. 5.
- Containment for surface runoff, chemical storage and waste disposal areas. 6.
- Surface drainage of site for one year of photo coverage. Changes will be 7. identified.
- 8, Visible leakage or leachates from site.
- Trenches, fills, and other waste burial areas within and around site 9. (positive, probable, and possible)
- Fencing or other security around perimeter of site and gate access.
- Types of impoundments for pits, ponds, and lagoons (lined, earther dam, etc.).
- 12: Vegetation stress/damage.
- 13. Access route to site and identify equipment in use at site.




III. SPECIAL REQUEST OPTIONS - The following remote sensing services available for sites with conditions that warrant their use. Check off interest and contact your remote sensing coordinator for more information	are also items of
a. land use analysis (within specified distance from site)	
b. Fracture trace analysis	
c. Wetland mapping/assessment	76
d. Multi-spectral scanner overflights	
e. Thermal infrared scanner overflights	1
f. Mensuration (measurements) of features (e.g., barrel/dru terrain transects, building dimensions, larger discontinue	m count,

8	
!	2. HISTORICAL PHOTOGRAPHY ONLY
***Average	a. Study pariod (e.g., 1936-1955): 80-85
turnaround	b. Specific years desired:
6-10 Wes. ***	
	A. Number of copies:
	e. Desired delivery date:
_	_ 3. ANALYSIS OF CURRENT (single coverage) HOLOGRAPHY
***Average	a. Scale:(e.g., 1:24,000)
turnaround time = 8 wks.***	b. Special conditions (e.g., do not fly if snow cover, leaves on, etc.)
	c. Photo size: 9"x9" 20"x20" other
•	d. Number of copies:
	e. Desired delivery date:
V	4. ANALYSIS OF HISTORICAL PHOTOGRAPHY (standard site analysis package - see attachment)
**Average	a. Study period (e.g., 1936-1955): 80-85
urnaround	b. Specific years of interest:
2-24 Wks.	c. Are copies of historical photos (hefore analysis) needed? If yes, photo size: 9"x9" 20"x20" Other
	d. Is an interim report (unbound format, handwritten photo overlays with typed body of report) needed?YN
	e. Number of copies of final bound reports
	f. Desired delivery date:
	5. SURVEYING AND MAPPING - Complete and attach request form

Request Date: 12-13-94
I. SITE DATA STRIPLING
Site Name: Chapel Road Site Region: IV
superrum Broa
If Superfund: Site/Spill In:
Purpose (circle): Remedial Removal Enf. Other Geographic Coordinates: \$30 32 30 Long. \$50 160 Lat State: Ga County: Carroll Municipality: USGS Quad Name (IMPORTANT: ATTACH PHOTOCOPY OF MAP SHOWING SITE BOUNDRIES AND/OR STUDY AREA): Carrollton (7/2 mint) Regional Project Manager: Phone; FTS COMM Brief discussion of site history, Specific problems
operation (e.g. barrels believed dumped between 1967 and 1972 adjacent to north descriptions, action memos, etc.
II. STANDARD REQUEST OPTIONS - Check and complete the appropriate section
1. CURRENT PROTOGRAPHY ONLY (DEW GURE CT.)
a. Scale:(e.g., 1:24,000) turnaround b. Special conditions (e.g., do not fly if snow cover, leaves time on, etc.)
C. Photo will all the cover, Leaves time
c. Photo size: 9"x9" 20"x20" Other_
d. Are stereo pairs needed?YN
6. Number of copies:
f. Desired delivery date:

DEC 01 .84 04:36PM



available for sites with conditions that warrant their use. Check of interest and contact your remote sensing coordinator for more information	s are also I items of on.
a. I and use analysis (within specified distance from site)	40
b. Fracture trace analysis	
c. Wetland mapping/assessment	
d. Multi-spectral scanner overflights	
e. Thermal infrared scanner overflights	
f. Mensuration (measurements) of features (e.g., berrel/dr terrain transects, building dimensions, lagoon dimensions,	etc.)


	-	-	

US EPA EPIC

.—	2. HISTORICAL PHOTOGRAPHY ONLY
***Average turnaround time =	a. Study partod (e.g., 1936-1955): _80-85
	b. Specific years desired:
6-10 w/cs. ***	c. Photo size: 9"20" Other
	d. Number of copies:
	e. Desired delivery date:
	3. ANALYSIS OF CURRENT (single coverage) PROTOCRAPHY
***Average	a. Scale:(e.g., 1:24,000)
turnaround time = 8 wks.***	b. Special conditions (e.g., do not fly if snow cover, leaves
,	c. Photo size: 9"x9" 20"x20" Other
•	d. Number of copies:
	e. Desired delivery date:
Ĺ	4. ANALYSIS OF HISTORICAL PHOTOGRAPHY (standard site analysis package - see attachment)
***Average	a. Study period (e.g., 1936-1955): 80-85
time =	b. Specific years of interest:
12-24 Wks.	C. Are copies of historical photos (before analysis) needed? If yes, photo size: 9"x9" 20"X20" Other
	d. Is an interim report (unbound format, handwritten photo overlays with typed body of report) needed?N
	e. Number of copies of final bound reports
•0 ¥6	f. Desired delivery date:
	5. SURVEYING AND MAPPING - Complete and attach request form

Request Date: 12-13-94

I. SITE DATA	
site Name: Oak Mountain Academy Region: IV	
Program: (circle) Superfund RCRA Enf. Other	
If Superfund: Site/Spill ID:	
Purpose (circle): Remedial Removal Enf. Other Sitc Geographic Coordinates: 33° 33′ Lorg. 85° 1′ 50″ Lat	
State: Ga County: Carroll Municipality:	
USGS QUAD NAME (IMPORTANT: ATTACH PHOTOCOPY OF MAP SHOWING SITE BOUNDINGES AND/OR STUDY AREA):	
Regional Project Manager: Phone# FTS COMM	
Brief discussion of site history, specific problems at site, what you hope to accomplish through this request. Elaborate on known or suspected aspects of site operation (e.g. barrels believed dumped between 1967 and 1972 adjacent to north lagoon). Please attach background information about the site such as site descriptions, action memos, etc.	
II. STANDARD REQUEST OPTIONS - Check and complete the appropriate section for the type of service you are requesting.	
1. CURRENT PROTOCRAPHY ONLY (new overflight)	
***Nverage a. Scale: (e.g., 1:24,000)	
turnaround b. Special conditions (e.g., do not fly if snow cover, leaves time on, etc.)	
c. Photo size: 9"x9" 20"x20" Other	
d. Are stored pairs needed?YN	ji.
e. Number of copies:	
f. Desired delivery date:	



III. SPECIAL REQUEST OPTIONS - The following remote sensing services a available for sites with conditions that warrant their use. Check off interest and contact your remote sensing coordinator for more information.	rė also items of
a. land use analysis (within specified distance from site)	39 8 ∞ - 1 0
b. Fracture trace analysis	-
c. Wetland mapping/assessment	*
d. Multi-spectral scanner overflights	

f. Mensuration (measurements) of features (e.g., barrel/drum count, terrain transects, building dimensions, lagoon dimensions, etc.)

e. Thermal infrared scanner overflights

_	2. HISTORICAL PHOTOGRAPHY ONLY
***Average	a. Study pariod (e.g., 1936-1955): 80-85
time =	b. Specific years desired:
6-10 Was. ***	
	d. Number of copies:
	e. Desired delivery date:
	3. ANALYSIS OF CURRENT (single coverage) PHOTOGRAPHY
***Average	a. Scale:(e.g., 1:24,000)
turnaround time = 8 wks.***	b. Special conditions (e.g., do not fly if snow cover, leaves
	c. Photo size: 9"x9" Other_
•	d. Number of copies:
	e. Desired delivery date:
$\underline{\hspace{1em}} \nu$	4. ANALYSIS OF HISTORICAL PROTOCRAPHY (standard site analysis package - see attachment)
**Average	a. Study period (a.g., 1936-1955):
ime =	b. Specific years of interest:
2-24 Wks.	c. Are copies of historical photos (hefore analysis) needed? If yes, photo size: 9"x9" 20"x20" Other
	d. Is an interim report (unbound format, handwritten photo overlays with typed body of report) needed?N
	e. Number of copies of final bound reports
•	f. Desired delivery date:
	5. SURVEYING AND MAPPING - Complete and attach request form

		Request Date: 12-13-96	7
I. <u>SI</u>	TE DATA		/
Site Name	circle) superfund pro	- TV 1	
	RCRA FIN		
If Super	fund: Site/Spill ID#	Other	
	Purpose (cimia)		
Geographic	- COLUMNIACE S S S S S S S S S S S S S S S S S S S		
	- Carroll	1	
uses Quad	AICHIES FIME IDINATIVA	The state of the s	
Dominus 1 m	AND/OR STUDY AREA): Carroll	AP SHOWING SITE BOUNDINGS	
perional p			
det framosa	the Decific mobile		1
operation (through this request. Elaborate on known that believed dumped between 19 lease attach background information about a action memos, etc.	nown or suspected aspects of site	-
description	please attach background information about, action memos, etc.	out the site such as site	J
			06 22
TT STANDA	IPO Decu	•	
for the type	ARD REQUEST OPTIONS - Check and compositing.	plete the appropriate section	
-	1. CURRENT PHOTOGRAPHY ONLY (new ov	von-41 January	
***Nverage	a. Scale:(e.g., 1:	124 ggg	
turnaround = 6 wks.***	b. Special conditions (e.g., do not a	£1v. 64	
•	On, etc.)	11y 11 show cover, leaves time	
	c. Photo size: 9"x9" 20"x20"_	Other	**
	d. Are stereo pairs needed?Y	R	4
s.	e. Number of copies:		ţ
4	f. Desired delivery date:	_	
		3 3	

DEC 01 .04 04:36PM

1.5. E.P.A. - W.D.

52:31

75/101/24

III. SPECIAL REQUEST OPTIONS - The following remote sensing services available for sites with conditions that warrant their use. Check of interest and contact your remote sensing coordinator for more information	ard also items of n.
a. Land use analysis (within specified distance from site)	_
b. Fracture trace analysis	-
c. Wetland mapping/assessment	
d. Multi-spectral scanner overflights	
e. Thermal infrared scarner overflights	ī
f. Mensuration (measurements) of features (e.g., barrel/druterrain transects, building dimensions, lagoon dimensions,	m count,

_	2. HISTORICAL PHOTOGRAPHY ONLY
***Average	a. study partod (e.g., 1936-1955): 1980 -85 present
time =	b. Specific years desired:
6-10 Wes. ***	c. Photo size: 9"x9" 20"x20" Other
	d. Number of copies:
	e. Desired delivery date:
-	3. AVALYSIS OF CURRENT (single coverage) HOTOGRAPHY
***Average	a. Scale:(e.g., 1:24,000)
turnaround time = 8 wks.***	b. Special conditions (e.g., do not fly if mow cover, leaves
i	c. Photo size: 9"x9" 20"x20" Other
	d. Mumber of copies:
	e. Desired delivery date:
$\sqrt{}$	4. ANALYSIS OF HISTORICAL PHOTOGRAPHY (standard site analysis package - see attachment)
***Average	a. Study period (e.g., 1936-1955): 1980-355 present
time =	b. Specific years of interest:
12-24 WKs. 4-6 WKs.	c. Are copies of historical photos (before analysis) needed?
	If yes, photo size: 9"x9" 20"x20" other
	d. Is an interim report (unbound format, handwritten photo overlays with typed body of report) needed?N
	e. Number of copies of final bound report:
•	f. Desired delivery date:
	5. SURVEYING AND MAPPING - Complete and attach request form

Request Date: 12-13-94

I. SITE D	ATA .
Site Name:	Snake Creek Region: IV
Program: (cir	cle) Superfund RCRA Enf. Other
If Superfund	: Site/Spill IDi
site	Purpose (circle): Remedial Removal Enf. Other
AGeographic Co	ordinates: 33° 31 30 + 32 36" Iong. 84° 56 + 84° 58" Lat
State: Ga	county: Carroll Municipality:
USGS Quad Nam	AND/OR STUDY AREA): Hulett, Ga. (7/2 minute)
Regional Proj	act Manager: Phone# FTS COMM_
operation (e. lagoon). Plea	don of site history, specific problems at site, what you hope to rough this request. Elaborate on known or suspected aspects of site is. berrels believed dumped between 1967 and 1972 adjacent to horth ase attach background information about the site such as site action memos, etc.
tot the type (D REQUEST OPTIONS - check and complete the appropriate section of service you are requesting. 1. CURRENT PERFORMABLY ONLY (new overflight)
***Average	a. Scale: (e.g., 1:24,000)
turnaround = 6 wks.***	b. Special conditions (e.g., do not fly if snow cover, leaves time on, etc.)
	c. Photo size: 9"x9" 20"x20" Other
	d. Are stored pairs needed?YN
	e. Number of copies:
± 80 ± 10 ± 10 ± 10 ± 10 ± 10 ± 10 ± 10	1. Desired delivery date:
*	· 📕 🐧

_	2. HISTORICAL PHOTOGRAPHY CIVILY
***Average	a. Study partod (e.g., 1936-1955): 80-85
time = 6-10 wks. ***	b. Specific years desired:
0 10 WG . x **	20"x20" Other
	d. Number of copies:
	e. Desired delivery date:
	3. ANALYSIS OF CURRENT (single coverage) PHOTOGRAPHY
***Average	a. Scale:(e.g., 1:24,000)
time = 8 wkm. ***	b. Special conditions (e.g., do not fly if snow cover, leaves
	c. Photo size: 9"x9" 20"x20" other
•	d. Mumber of copies:
	e. Desired delivery date:
V	4. ANALYSIS OF HISTORICAL PHOTOGRAPHY (standard site analysis package - see attachment)
***Average	a. Study period (e.g., 1936-1955): 80-85
time =	b. Specific years of interest:
12-24 Wks.	C. Are copies of historical photos (before analysis) needed? Y N If yes, photo size: 9"x9" 20"x20" Other
	d. Is an interim report (unbound format, hardwritten photo overlays with typed body of report) needed?N
	e. Number of copies of final bound reports
	f. Desired delivery date:
-	5. SURVEYING AND MAPPING - Complete and attach request form

III. SPECIAL REQUEST OPTIONS - The following remote sensing services are also available for sites with conditions that warrant their use. Check off items of interest and contact your remote sensing coordinator for more information.

	a.	land use analysis (within specified distance from site)	-
	b.	Fracture trace analysis	
	c.	Wetland mapping/assessment	
	đ.	Multi-spectral scanner overflights	
	e.	Thermal infrared scanner overflights	
	ſ.	Mensuration (measurements) of features (e.g., barrel/drum of terrain transacts, building dimensions, lagoon dimensions, etc.	∞unt

r. 05

	2. HISTORICAL PHOTOGRAPHY ONLY
4442	a. Study period (e.g., 1936-1955): 80-85
timaround time =	b. Specific years desired:
6-10 wks. ***	c. Photo size: 9"29" 20"220" Other
	d. Number of copies:
	e. Desired delivery date:
-	_ 3. ANALYSIS OF CURRENT (single coverage) PHOTOGRAPHY
***Average	a. Scale:(e.g., 1:24,000)
turnaround time = 8 wks.***	b. Special conditions (e.g., do not fly if snow cover, leaves on, etc.)
O WASI	c. Photo size: 9"x9" 20"x20" other
•	d. Number of copies:
	e. Desired delivery date:
V	4. ANALYSIS OF HISTORICAL PHOTOGRAPHY (standard site analysis package - see attachment)
***Average	a. Study period (e.g., 1936-1955):
turnaround	b. Specific years of interest:
12-24 Wks.	C. Are copies of historical photos (before analysis) needed? Y N If yes, photo size: 9"x9" 20"x20" Other
	d. Is an interim report (unbound format, handwritten photo overlays with typed body of report) needed?YN
	e. Number of copies of final bound reports
*	f. Desired delivery date:
	5. SURVEYING AND MAPPING - Complete and attach request form

ž

12:36

III. SPECIAL REQUEST OPTIONS - The following remote sensing services are also available for sites with conditions that warrant their use. Check off items of interest and contact your remote sensing coordinator for more information.

a.	. Land use analysis (within specified distance from site)	-
b.	Fracture trace analysis	
c.	Wetland mapping/assessment	
d.	Multi-spectral scanner overflights	
<u> </u>	Thermal infrared scanner overflights	
f.	Mensuration (measurements) of features (a.g., barrel/drum or terrain transacts, building dimensions, lagoon dimensions etc.	unt

DEC 01 .84 04:326W

-2-

-	2. HISTORICAL PHOTOGRAPHY ONLY
*+*Average	a. Study period (e.g., 1936-1955); 80-85
turnaround time =	b. Specific years desired:
6-10 W/cs. ***	c. Photo size: 9"29" 20"220" Other
	d. Number of copies:
	e. Desired delivery date:
	3. ANALYSIS OF CURRENT (single coverage) PHOTOGRAPHY a. Scale:(e.g., 1:24,000)
Average turnaround time = 8 wks.	b. Special conditions (e.g., do not fly if snow cover, leaves on, etc.)
•	c. Photo size: 9"x9" 30"x20" other_
# #	d. Number of copies:
	e. Desired delivery date:
	4. ANALYSIS OF HISTORICAL PHOTOGRAPHY (standard site analysis package - see attachment)
***Average	a. Study period (e.g., 1936-1955): 80-85
turnaround	b. Specific years of interest:
12~24 Wks.	c. Are copies of historical photos (before analysis) needed? Y N If yes, photo size: 9"x9" 20"x20" Other
	d. Is an interim report (unbound format, handwritten photo overlays with typed body of report) needed?N
	e. Number of copies of final bound reports
	f. Desired delivery date:
	5. SURVEYING AND MAPPING - Complete and attach request form

US EPA EPIC

III. <u>SPECIAL REQUEST OPTIONS</u> - The following remote sensing services are also available for sites with conditions that warrant their use. Check off items of interest and contact your remote sensing coordinator for more information.

 a.	Land use analysis (within specified distance from site)	20	
 b.	Fracture trace analysis		
 c.	Wetland mapping/assessment	**	
 d.	Multi-spectral scanner overflights		
 ₽.	Thermal infrared scanner overflights		
 £.	Mensuration (measurements) of features (e.g., berrel/drum terrain transects, building dimensions, lagoon dimensions, e		=,

r. U3

		잃다면 생각이 있으면 그렇게 되어요. [1962년(1962년)]
	2. HISTORICAL PHOTOGRAPHY CHLY	
***Average	a. study pariod (e.g., 1936-1955); 1980)-85 present
time =	b. Specific years desired:	
6-10 W/cs.***	c. Photo size: 9"50" 20"520"	Other
	d. Number of copies:	,
	e. Desired delivery date:	
-	_ 3. ANALYSIS OF CURRENT (single coverage)	PHOTOGRAPHY
***Average	a. Scale:(e.g., 1:24,000)	
turnaround time = 8 wks.***	b. Special conditions (e.g., do not fly if	mow cover, leaves
1	c. Thoto size: 9"x9" 20"x20"	Other_
<u> </u>	d. Number of copies:	IT.
	e. Desired delivery date:	
$\sqrt{}$	4. ANALYSIS OF HISTORICAL PHOTOGRAPHY (staped and package and see attachment)	endard site analysis
***Average	a. Study period (e.g., 1936-1955): 1980	0-85 present
turnaround	b. Specific years of interest:	<u> </u>
12-24 Wks.	c. Are copies of historical photos (before	analysis) needed?
4 1000	If yes, photo size: 9"x9" 20"X20"	
	d. Is an interim report (unbound format, ha overlays with typed body of report) ne	ndwritten photo eded?YN
	e. Number of copies of final bound reports	
	f. Desired delivery date:	
	5. SURVEYING AND MAPPING - Complete and at	tach request form
	200	į.

III. SPECIAL REQUEST OPTIONS - The following remote sensing services are also available for sites with conditions that warrant their use. Check off items of interest and contact your remote sensing coordinator for more information.

 a.	land use analysis (within specified distance from site)	-
 b.	Fracture trace analysis	
 c.	Wetland mapping/assessment	8
 đ.	Multi-spectral scanner overflights	
 ٠.	Thermal infrared scanner overflights	
 ſ.	Mensuration (measurements) of features (e.g., barrel/drum	count

DEC 01 .84 04:326W